



22-2-4

TRIMEC® 703



With Sulfur Coated Urea

NET WEIGHT 40 LBS. (18.18 KG.)

COVERS 12,500 SQUARE FEET

Guaranteed Analysis

TOTAL NITROGEN (N)22%
 0.40% Ammoniacal Nitrogen
 21.60% Urea Nitrogen*
 AVAILABLE PHOSPHATE (P2O5)2%
 SOLUBLE POTASH (K2O)4%
 SULFUR (S)..... 4.0%
 4.00% FREE SULFUR (S)
 DERIVED FROM: SULFUR COATED UREA, UREA, AMMONIATED
 PHOSPHATE AND POTASSIUM CHLORIDE.
 Chlorine (Cl), not more than4%
 *5.50% Slowly available urea nitrogen from: Polymer-coated
 sulfur coated urea.

Active Ingredients

2,4-Dichlorophenoxyacetic acid 0.460%
 (+)-(R)-(2-Methyl-4-chlorophenoxy)
 propionic acid..... 0.100%
 Dicamba(3,6-dichloro-o-anisic acid)..... 0.040%
 INERT INGREDIENTS: 99.400%
 TOTAL 100.00%

This product contains:

9.2 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton.
 2.0 lbs. (+)-(R)-(2-methyl-4-chlorophenoxy)propionic acid
 equivalent per ton.
 0.8 lb. 3,6-dichloro-o-anisic acid equivalent per ton.
 Isomer Specific by AOAC Methods.
 Contains the single isomer form of Mecoprop-p.

EPA Reg. No. 2217-801-8378

EPA Est. No. 8378-IN -1

POUNDS OF NUTRIENT/M SQ. FT.

LBS. PER ACRE	LBS. PER 1,000 SQ. FT.	N	P	K
174	4.00	0.88	0.08	0.16

General Information

Shaw's 22-2-4 with Trimec 703 is a herbicide and turf food combination which controls a wide spectrum of broadleaf weeds while providing fast and long lasting feeding. This product may be used on Bluegrass, Fescue, Rye, Bermuda, Bahia & Zoysia lawns.

This is a granular sized product to improve efficiency by allowing increased granules per square inch without applying more pounds per 1,000 sq. ft.

The following settings are approximate for applying contents of this package. Settings are based on average walking speed. Reduce settings for slower speed and increase for higher speed. Check your spreader on 250 sq. ft. and adjust to apply ¼ of 1,000 sq.ft. rate. PLEASE NOTE: These settings are furnished as a starting guide only.

RATES ARE FOR POUNDS PER 1,000 SQ. FT.

Spreader Settings	4.0 lbs.
Earthway Broadcast	17-18
Earthway Drop	11-12
Scotts Rotary	K-L
Scotts Drop	6-7
Lesco	G-H

Application Instructions

Best results are obtained when weeds are growing rapidly in spring or fall. IMPORTANT: Apply when grass is moist (after rain, sprinkling or dew). DO NOT water lawn after material is applied for at least 48 hours. Apply at a rate of 4.0 lbs. of product per 1,000 sq. ft.

IMPORTANT: Read the entire directions for Use and Conditions of Sale before using this product. FOLLOW DIRECTIONS CAREFULLY.

KNOX FERTILIZER COMPANY

P.O. BOX 248

KNOX, IN 46534

(574)772-6275/FAX (574)772-5878

Shaw's™ is a registered trademark of Knox Fertilizer Company, Inc.
 TRIMEC® is a registered trademark of PBI/GORDON Corp.